

8. Alternativer Drogen- und Suchtbericht 2021

Folgen des leichten bis moderaten Alkoholkonsums in Deutschland

Carolin Kilian, Jakob Manthey & Christina Lindemann

Literaturverzeichnis

- Atzendorf, J., Rauschert, C., Seitz, N.-N., Lochbühler, K., & Kraus, L. (2019). The Use of Alcohol, Tobacco, Illegal Drugs and Medicines. *Deutsches Aertzblatt Online*. doi: 10.3238/arztebl.2019.0577
- Bagnardi, V., Rota, M., Botteri, E., Tramacere, I., Islami, F., Fedirko, V., ... La Vecchia, C. (2013). Light alcohol drinking and cancer: A meta-analysis. *Annals of Oncology*, 24(2), 301–308. doi: 10.1093/annonc/mds337
- Bagnardi, V., Rota, M., Botteri, E., Tramacere, I., Islami, F., Fedirko, V., ... La Vecchia, C. (2015). Alcohol consumption and site-specific cancer risk: A comprehensive dose–response meta-analysis. *British Journal of Cancer*, 112(3), 580–593. doi: 10.1038/bjc.2014.579
- Bates, S., Holmes, J., Gavens, L., de Matos, E. G., Li, J., Ward, B., ... Buykx, P. (2018). Awareness of alcohol as a risk factor for cancer is associated with public support for alcohol policies. *BMC Public Health*, 18(1), 688. doi: 10.1186/s12889-018-5581-8
- Bolbrinker, J., Zaidi Touis, L., Gohlke, H., Weisser, B., & Kreutz, R. (2018). European guidelines on lifestyle changes for management of hypertension: Awareness and implementation of recommendations among German and European physicians. *Herz*, 43(4), 352–358. doi: 10.1007/s00059-017-4575-0
- Briasoulis, A., Agarwal, V., & Messerli, F. H. (2012). Alcohol Consumption and the Risk of Hypertension in Men and Women: A Systematic Review and Meta-Analysis: Alcohol and Hypertension. *The Journal of Clinical Hypertension*, 14(11), 792–798. doi: 10.1111/jch.12008
- Buykx, P., Li, J., Gavens, L., Lovatt, M., Gomes de Matos, E., Holmes, J., ... Meier, P. (2015). *An investigation of public knowledge of the link between alcohol and cancer*. University of Sheffield and Cancer Research UK. Retrieved from University of Sheffield and Cancer Research UK website: https://www.cancerresearchuk.org/sites/default/files/an_investigation_of_public_knowledge_of_the_link_between_alcohol_and_cancer_buykx_et_al.pdf
- Castaldo, Narváez, Izzo, Graziani, Gaspari, Minno, & Ritieni. (2019). Red Wine Consumption and Cardiovascular Health. *Molecules*, 24(19), 3626. doi: 10.3390/molecules24193626
- Chikritzhs, T., Stockwell, T., Naimi, T., Andreasson, S., Dangardt, F., & Liang, W. (2015). Has the leaning tower of presumed health benefits from ‘moderate’ alcohol use finally collapsed? *Addiction*, 110(5), 726–727. doi: 10.1111/add.12828
- Chisholm, D., Moro, D., Bertram, M., Pretorius, C., Gmel, G., Shield, K., & Rehm, J. (2018). Are the “best buys” for alcohol control still valid? An update on the comparative cost-effectiveness of alcohol control strategies at the global level. *Journal of Studies on Alcohol and Drugs*, 79(4), 514–522. doi: 10.15288/jsad.2018.79.514
- Deutsches Krebsforschungszentrum. (2017). *Alkoholatlas Deutschland 2017*. Heidelberg, Deutschland: Deutsches Krebsforschungszentrum.
- Dixon, H. G., Pratt, I. S., Scully, M. L., Miller, J. R., Patterson, C., Hood, R., & Slevin, T. J. (2015). Using a mass media campaign to raise women’s awareness of the link between alcohol and cancer: Cross-sectional pre-intervention and post-intervention evaluation surveys. *BMJ Open*, 5, e006511. doi: 10.1136/bmjopen-2014-006511
- European Commission. (2021). *Europe’s Beating Cancer Plan*. doi: 10.1163/2210-7975_HRD-4679-0058
- Fuchs, F. D., & Chambless, L. E. (2007). Is the cardioprotective effect of alcohol real? *Alcohol*, 41(6), 399–402. doi: 10.1016/j.alcohol.2007.05.004
- GBD 2016 Alcohol Collaborators. (2018). Alcohol use and burden for 195 countries and territories, 1990–2016: A systematic analysis for the Global Burden of Disease Study 2016. *The Lancet*, 392(10152), 1015–1035. doi: 10.1016/S0140-6736(18)31310-2
- GBD 2019 Risk Factors Collaborators. (2020). Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: A systematic analysis for the Global Burden of Disease Study 2019. *The Lancet*, 396(10258), 1204–1222. doi: 10.1016/S0140-6736(20)30925-9
- Gredner, T., Niedermaier, T., Brenner, H., & Mons, U. (2020). Impact of reducing alcohol consumption through price-based policies on cancer incidence in Germany 2020 to 2050 – a simulation study. *Addiction*, add.15335. doi: 10.1111/add.15335

- Hertrampf, K., Wenz, H.-J., Koller, M., & Wiltfang, J. (2012). Public awareness about prevention and early detection of oral cancer: A population-based study in Northern Germany. *Journal of Cranio-Maxillofacial Surgery*, *40*(3), e82–e86. doi: 10.1016/j.jcms.2011.04.007
- Hobin, E., Schoueri-Mychasiw, N., Weerasinghe, A., Vallance, K., Hammond, D., Greenfield, T. K., ... Stockwell, T. (2020). Effects of strengthening alcohol labels on attention, message processing, and perceived effectiveness: A quasi-experimental study in Yukon, Canada. *International Journal of Drug Policy*, *77*, 102666.
- IARC Working Group on the Evaluation of Carcinogenic Risks to Humans, World Health Organization, & International Agency for Research on Cancer (Eds.). (2010). *Alcohol consumption and ethyl carbamate*. Lyon, France : Geneva: International Agency for Research on Cancer ; Distributed by WHO Press.
- International Agency for Research on Cancer. (2012). *IARC Monographs on the evaluation of carcinogenic risks to humans 100E Personal Habits and Indoor Combustions*. Lyon, France: International Agency for Research on Cancer.
- Jané-Llopis, E., Kokole, D., Neufeld, M., Hasan, O. S. M., & Rehm, J. (2020). *WHO Health Evidence Network Synthesis Report 68: What is the current alcohol labelling practice in the WHO European Region and what are barriers and facilitators to development and implementation of alcohol labelling policy?* (p. 112). Copenhagen, WHO Regional Office for Europe: WHO Regional Office for Europe. Retrieved from WHO Regional Office for Europe website: <https://apps.who.int/iris/bitstream/handle/10665/332129/9789289054898-eng.pdf>
- Kraus, L., Seitz, N.-N., Shield, K. D., Gmel, G., & Rehm, J. (2019). Quantifying harms to others due to alcohol consumption in Germany: A register-based study. *BMC Medicine*, *17*(1), 59. doi: 10.1186/s12916-019-1290-0
- Lachenmeier, D. W., Godelmann, R., Witt, B., Riedel, K., & Rehm, J. (2014). Can resveratrol in wine protect against the carcinogenicity of ethanol? A probabilistic dose-response assessment: Can resveratrol in wine protect against ethanol's carcinogenicity? *International Journal of Cancer*, *134*(1), 144–153. doi: 10.1002/ijc.28336
- Lagerlund, M., Hvidberg, L., Hajdarevic, S., Fischer Pedersen, A., Runesdotter, S., Vedsted, P., & Tishelman, C. (2015). Awareness of risk factors for cancer: A comparative study of Sweden and Denmark. *BMC Public Health*, *15*(1), 1156. doi: 10.1186/s12889-015-2512-9
- Manthey, J. (2018). Reduktion des Alkoholkonsums in Deutschland: Wirkungsvolle Maßnahmen zur Zielerreichung sind nicht in Sicht. In G. Kamphausen, B. Wense, & H. Stöver (Eds.), *Alternativer Drogen- und Suchtbericht 2018* (pp. 114–123). Berlin: akzept e.V., Deutsche AIDS-Hilfe, JES e.V.
- O'Donnell, A., Anderson, P., Newbury-Birch, D., Schulte, B., Schmidt, C., Reimer, J., & Kaner, E. (2014). The impact of brief alcohol interventions in primary healthcare: A systematic review of reviews. *Alcohol and Alcoholism*, *49*(1), 66–78. doi: 10.1093/alcalc/agt170
- O'Neill, D., Britton, A., Hannah, M. K., Goldberg, M., Kuh, D., Khaw, K. T., & Bell, S. (2018). Association of longitudinal alcohol consumption trajectories with coronary heart disease: A meta-analysis of six cohort studies using individual participant data. *BMC Medicine*, *16*(1), 124. doi: 10.1186/s12916-018-1123-6
- Paganini-Hill, A., Kawas, C. H., & Corrada, M. M. (2007). Type of alcohol consumed, changes in intake over time and mortality: The Leisure World Cohort Study. *Age and Ageing*, *36*, 203–209. doi: 10.1093/ageing/afl184
- Pettigrew, S., Jongenelis, M., Chikritzhs, T., Slevin, T., Pratt, I. S., Gance, D., & Liang, W. (2014). Developing cancer warning statements for alcoholic beverages. *BMC Public Health*, *14*(1), 786. doi: 10.1186/1471-2458-14-786
- Rehm, J., Anderson, P., Prieto, J. A. A., Armstrong, I., Aubin, H.-J., Bachmann, M., ... Zarco, J. (2017). Towards new recommendations to reduce the burden of alcohol-induced hypertension in the European Union. *BMC Medicine*, *15*(1), 173. doi: 10.1186/s12916-017-0934-1
- Rehm, J., Baliunas, D., Borges, G. L. G., Graham, K., Irving, H., Kehoe, T., ... Taylor, B. (2010). The relation between different dimensions of alcohol consumption and burden of disease: An overview. *Addiction*, *105*(5), 817–843. doi: 10.1111/j.1360-0443.2010.02899.x
- Rehm, J., Gmel, G. E., Gmel, G., Hasan, O. S. M., Imtiaz, S., Popova, S., ... Shuper, P. A. (2017). The relationship between different dimensions of alcohol use and the burden of disease—An update. *Addiction*, *112*(6), 968–1001. doi: 10.1111/add.13757
- Roerecke, M., & Rehm, J. (2010). Irregular Heavy Drinking Occasions and Risk of Ischemic Heart Disease: A Systematic Review and Meta-Analysis. *American Journal of Epidemiology*, *171*(6), 633–644. doi: 10.1093/aje/kwp451
- Roerecke, Michael, & Rehm, J. (2012). The cardioprotective association of average alcohol consumption and ischaemic heart disease: A systematic review and meta-analysis: Alcohol

- and ischaemic heart disease-a meta-analysis. *Addiction*, 107(7), 1246–1260. doi: 10.1111/j.1360-0443.2012.03780.x
- Roerecke, Michael, & Rehm, J. (2014). Alcohol consumption, drinking patterns, and ischemic heart disease: A narrative review of meta-analyses and a systematic review and meta-analysis of the impact of heavy drinking occasions on risk for moderate drinkers. *BMC Medicine*, 12, 182. doi: 10.1186/s12916-014-0182-6
- Roerecke, Michael, Tobe, S. W., Kaczorowski, J., Bacon, S. L., Vafaei, A., Hasan, O. S. M., ... Rehm, J. (2018). Sex-Specific Associations Between Alcohol Consumption and Incidence of Hypertension: A Systematic Review and Meta-Analysis of Cohort Studies. *Journal of the American Heart Association*, 7(13). doi: 10.1161/JAHA.117.008202
- Rovira, P., Kilian, C., Neufeld, M., Rungay, H., Soerjomataram, I., Ferreira-Borges, C., ... Rehm, J. (2020). Fewer cancer cases in four countries of the WHO European Region in 2018 through increased alcohol excise taxation: A modelling study. *European Addiction Research*. doi: 10.1159/000511899
- Rovira, P., & Rehm, J. (2020). Estimation of cancers caused by light to moderate alcohol consumption in the European Union. *European Journal of Public Health*. doi: 10.1093/eurpub/ckaa236
- Ryan, A. M., Cushen, S., Schellekens, H., Bhuachalla, E. N., Burns, L., Kenny, U., & Power, D. G. (2015). Poor Awareness of Risk Factors for Cancer in Irish Adults: Results of a Large Survey and Review of the Literature. *The Oncologist*, 20(4), 372–378. doi: 10.1634/theoncologist.2014-0453
- Scheideler, J. K., & Klein, W. M. P. (2018). Awareness of the Link between Alcohol Consumption and Cancer across the World: A Review. *Cancer Epidemiology Biomarkers & Prevention*, 27(4), 429–437. doi: 10.1158/1055-9965.EPI-17-0645
- Shield, K. D., Manthey, J., Rylett, M., Probst, C., Wettlaufer, A., Parry, C. D. H., & Rehm, J. (2020). National, regional, and global burdens of disease from 2000 to 2016 attributable to alcohol use: A comparative risk assessment study. *The Lancet Public Health*, 5(1), e51–e61. doi: 10.1016/S2468-2667(19)30231-2
- Shield, K. D., Soerjomataram, I., & Rehm, J. (2016). Alcohol Use and Breast Cancer: A Critical Review. *Alcoholism: Clinical and Experimental Research*, 40(6), 1166–1181. doi: 10.1111/acer.13071
- Stockwell, T., Zhao, J., Panwar, S., Roemer, A., Naimi, T., & Chikritzhs, T. (2016). Do “moderate” drinkers have reduced mortality risk? A systematic review and meta-analysis of alcohol consumption and all-cause mortality. *Journal of Studies on Alcohol and Drugs*, 77(2), 185–198. doi: 10.15288/jsad.2016.77.185
- Weerasinghe, A., Schoueri-Mychasiw, N., Vallance, K., Stockwell, T., Hammond, D., McGavock, J., ... Hobin, E. (2020). Improving Knowledge that Alcohol Can Cause Cancer is Associated with Consumer Support for Alcohol Policies: Findings from a Real-World Alcohol Labelling Study. *International Journal of Environmental Research and Public Health*, 17(2), 398. doi: 10.3390/ijerph17020398
- Wigg, S., & Stafford, L. D. (2016). Health Warnings on Alcoholic Beverages: Perceptions of the Health Risks and Intentions towards Alcohol Consumption. *PLOS ONE*, 11(4), e0153027. doi: 10.1371/journal.pone.0153027
- World Health Organization. (2018a). *Global status report on alcohol and health 2018*. World Health Organization. Retrieved from World Health Organization website: https://www.who.int/substance_abuse/publications/global_alcohol_report/en/
- World Health Organization. (2018b). *International Classification of Disease-11th Revision (ICD-11)*. Geneva, Switzerland: World Health Organization. Retrieved from World Health Organization website: <https://icd.who.int/en>
- World Health Organization. (2019). *Status report on alcohol consumption, harm and policy responses in 30 European countries*. Copenhagen, Denmark: WHO Regional Office for Europe. Retrieved from WHO Regional Office for Europe website: https://www.euro.who.int/__data/assets/pdf_file/0019/411418/Alcohol-consumption-harm-policy-responses-30-European-countries-2019.pdf
- World Health Organization. (2020a). *Alcohol and cancer in the WHO European Region: An appeal for better prevention*. Copenhagen, Denmark: WHO Regional Office for Europe. Retrieved from WHO Regional Office for Europe website: <https://apps.who.int/iris/bitstream/handle/10665/336595/WHO-EURO-2020-1435-41185-56004-eng.pdf?sequence=1&isAllowed=y>
- World Health Organization. (2020b). *WHO Global Information System on Alcohol and Health (GISAH)*. Geneva, Switzerland: World Health Organization. Retrieved from World Health Organization website: <https://www.who.int/gho/alcohol/en>